


flexiforce^{FF}

AUTOMATION

DOOR AUTOMATION SELECTION
PRICES 2019-Q1



AUTOMATION SELECTION

With over 10 years of experience in door automation, FlexiForce is now introducing a complete update to the range of drives. In recent years we have listened to the wishes and requirements of our customers throughout Europe, and as a result we have now become experts in the different kinds of drives. We have selected a range of products from the best suppliers, which has resulted in the best solution for every application and price level. This has now allowed us to offer a full portfolio of high-quality products for almost all applicable standards.

Our new range comprises:


- **LiftMaster Evolution** for garage doors.
- **LiftMaster LM3800** for large garage doors and small industrial doors.
- **Force** for industrial doors. By-Gaposa. 70Nm and 140Nm, single-phase with deadman and automated control.
- **Frequenz** for industrial doors: Single-phase, intelligent, industrial drive with self-learning control and integrated safety systems.
- **GfA** for industrial doors: Market-leader in quality and quantity. 90Nm and 140Nm drives.



LIFTMASTER EVOLUTION



LIFTMASTER LM3800





FREQUENZ



FORCE



GfA

Over the last years, our door drives have become a significant part of FlexiForce's business. An ever-increasing number of customers value the company's service based on the one-stop-shop principle, in which hardware, drives and panels are provided by just one supplier. The total cost reductions achieved by this approach are very interesting.

With this updated automation range, FlexiForce is now able to offer you the best solution for door automation. Call us now for a personal introduction!



LIFTMASTER EVOLUTION

It has been more than 10 years since we first offered the LiftMaster range in Europe. This proved to us that we've chosen the right supplier from the beginning. Customers appreciate LiftMaster Evolution for being advanced, stylish, durable and extremely reliable.

The nice product design of the Evolution door openers has also been implemented to the wide range of safety and convenience accessories.

LiftMaster and FlexiForce now introduce three new models to you: The one box packaging principle is now available in a new 500N door opener as well as in two new 700N openers. The logistic advantages and cost reductions of one-box are clear. FlexiForce can see a trend towards greater connectivity and so we have put together a product that contains MyQ as a standard feature. This means plenty of potential for upgrades!



LM50EVFF



LM70EVFF

Our LiftMaster selection:

LM50EVFF



500N, belt drive
Security+ 2.0 radio technology
100mm / sec
2 x 4 channel TX4EVF **(New)**
3-piece rail for max 2.3m OPH
Not MyQ compatible

LM70EVFF



700N, belt drive
Security+ 2.0 radio technology
160mm / sec
0.8W standby power
2 x 4-channel TX4EVF **(New)**
MyQ enabled
Partially opening
Automatic close
Holiday mode
Connections for: IR sensor, key switch
and Flashing light
3-piece rail for max 2.5 m OPH

LM70EVFFC



700N, belt drive
Security+ 2.0 radio technology
160mm / sec
0.8W standby power
2 x 4-channel TX4EVF **(New)**
MyQ enabled
Partially opening
Automatic close
Holiday mode
Connections for: IR sensor, key switch
and Flashing light
3-piece rail for max 2.5 m OPH
828EV internet gateway included
771EV fail-safe infra-red sensors
included





MyQ connectivity allows you to control the operator from wherever via the Internet. This “know more, worry less” innovative development offers the opportunity of always stand out with the latest upgrades and updates.

LM55EVO

600N, belt drive
6-band radio
100mm / sec
0.8W standby power
2 x 4-channel TX4EVF **(New)**
Not MyQ compatible

LM60EVO

650N, belt drive
7-band radio
160mm / sec
0.8W standby power
2 x 4-channel TX4EVF **(New)**
MyQ compatible

LM80EVO


800N, belt drive
7-band radio
200mm / sec
0.8W standby power
2 x 4-channel TX4EVF **(New)**
Wireless wall control
MyQ compatible

LM100EVO

1000N, belt drive
7-band radio
200mm / sec
0.8W standby power
2 x 4-channel TX4EVF **(New)**
Wireless wall control
MyQ compatible

LM130EVO

1300N, belt drive
7-band radio
130mm / sec
0.8W standby power
2 x 4-channel TX4EVF **(New)**
Wireless wall control
IR-Photocell kit 771EVK
MyQ compatible



force70AC3-XC



FORCE70 BY GAPOSA

Our range of mono-phase operators from Gaposa is suitable for most overhead doors. A basic drive with a robust and reliable motor. These units have been developed in collaboration with our supplier: Gaposa. A high-quality Italian manufacturer of operators that specialises in mono-phase drives.

Our selection starts with a simple switch operation, which can open automatically. The force70AC3 can be used for a fully automated door. It is available in two variants: with rapid de-clutching or a chain hoist that de-clutches the motor from the shaft in case of a power cut or for maintenance.

These operators have mechanical end limit adjustment. Our force70AC3 is connected to a 3-button control panel, with connectors for basic functionality.

This has resulted in a range of high-quality motors to suit any situation and every budget.



force70BS



force70AC3

Our Force (by Gaposa) selection:

	force70BS	force70AC3	force70AC3-XC
Operator model	SZX70MCM	SZX70MCM	SZX70MCM
Control unit model	Switch	QC101	QC101
Torque (Nm)	70 Nm	70 Nm	70 Nm
Output speed	21 rpm	21 rpm	21 rpm
Shaft diameter	25.4mm	25.4mm	25.4mm
Holding torque (Nm)	450 Nm	450 Nm	450 Nm
Max door weight (Kg)	350 kg	350 kg	350 kg
Power (kW)	0.50 kW	0.50 kW	0.50 kW
Voltage (Volt)	230V	230V	230V
Operating frequency (Hz)	50 Hz	50 Hz	50 Hz
Operating current (A)	2.20 A	2.20 A	2.20 A
Working temperature (°C)	-5 °C/+40 °C	-5 °C/+40 °C	-5 °C/+40 °C
Max. cycles per hour	12 / hr	12 / hr	12 / hr
Declutch	Quick release	Quick release	Chain hoist
Limits	Mechanical	Mechanical	Mechanical
Motor cable length	5m	7m	7m







FREQUENZ

There can only be one good reason to introduce a new product in an already saturated industrial door openers market: Being convinced that this product offers unique new advantages that allow door companies and maintenance companies to improve their business. We are indeed convinced that Frequenz deserves a place in the market.

Why?

- Made in Germany, top quality through material selection and design.
- Two versions: 100Nm for doors up to 28m² and 140Nm for doors up to 48m².
- Frequency convertor (FU) as standard feature: Always the proper door speed at the right time. Including of course soft-start and soft-stop mode.
- Digital limit switches, easy to set-up in the control system.
- Self-learning force sensing! Approved by TÜV and meeting all CE-demands. The opener learns which force is needed and it recognizes when it meets an obstacle. This means that no additional safety edge system is required. Ultimate safety and a clear cost saving for the installer.
- Manual override hand-chain.
- 230V power supply.

Frequenz is universal which features only 2 models, with which you can operate almost any installed industrial door. You can decrease stock in drives!

Specifactions	Frequenz-28	Frequenz-48
Torque (Nm)	100Nm	140Nm
Output speed	Variable up to 681mm/s	Variable up to 524mm/s
Shaft diameter	25.4mm	31.75mm
Max door weight (kg)	360 kg	640 kg
Max door size (m ²)	28 m ²	48 m ²
Power (kW)	0.55 kW	1.10 kW
Voltage (Volt)	1x230V	1x230V
Operating frequency (Hz)	50Hz	50Hz
Operating current (A)	3.5 A	5.2 A
Working temperature (°C)	-5 °C /+40 °C	-5 °C /+40 °C
Max. cycles per hour	40% duty cycle	40% duty cycle
Declutch	Chain hoist	Chain hoist
Limits	Digital	Digital
Motor cable length	1m / 9m	1m / 9m





GfA

By adding GfA drives into our range, we are now able to offer a selection of the highest quality drives made in Europe. GfA is the European market-leader in drive technology, with a solution for every door configuration.

Based on our combined experience, we have put together a selection of drives and control units that comply with the highest quality standards. The results are a 90Nm and a 140Nm drive, combined with a high tech control unit TS 970 or TS 971.

This selection marks the beginning of a collaboration with GfA that allows us to offer our customers a complete and high-quality range of products.



Our GfA selection:

	SE90E-TS970	SE90-TS970	SE90E-TS971	SE90-TS971	SE140-TS971
Operator model	SE 9.24 ER DES IP65	SE 9.24 SK DES IP65	SE 9.24 ER DES IP65	SE 9.24 SK DES IP65	SE 14.21 SK DES IP65
Control unit model	TS 970 CEE IP54	TS 970 CEE IP54	TS 971 CEE IP54	TS 971 CEE IP54	TS 971 CEE IP54
Torque (Nm)	90 Nm	90 Nm	90 Nm	90 Nm	140 Nm
Output speed	24 rpm	24 rpm	24 rpm	24 rpm	21 rpm
Shaft diameter	25.4mm	25.4mm	25.4mm	25.4mm	31.75mm
Holding torque (Nm)	450 Nm	450 Nm	450 Nm	450 Nm	600 Nm
Max door weight (Kg)	400 Kg	400 Kg	400 Kg	400 Kg	600 kg
Power (kW)	0.37 kW	0.37 kW	0.37 kW	0.37 kW	0.45 kW
Voltage (Volt)	3x230/400V	3x230/400V	3x230/400V	3x230/400V	3x230/400V
Operating frequency (Hz)	50 Hz	50 Hz	50 Hz	50 Hz	50 Hz
Operating current (A)	2.1 / 1.2 A	2.1 / 1.2 A	2.1 / 1.2 A	2.1 / 1.2 A	4.5 / 2.6 A
Working temperature (°C)	-10 °C /+40 °C	-10 °C /+40 °C	-10 °C /+40 °C	-10 °C /+40 °C	-10 °C /+40 °C
Max. cycles per hour	20 / hr	20 / hr	20 / hr	20 / hr	16 / hr
Declutch	Quick release	Chain hoist	Quick release	Chain hoist	Chain hoist
Limits	Digital	Digital	Digital	Digital	Digital
Motor cable length	7m	7m	7m	7m	7m




SE 9.24 ER



TS 970 | TS 971



SE 9.24 SK



SE 14.21 SK



This price list presents our full range of door automation products. FlexiForce is ready to be your best supplier in door automation and access control. We provide you the opportunity for a simple and efficient supply chain: One-stop-shop for hardware, automation and in some regions also panels. The two strong product families in automation are:

- Liftmaster Evolution residential (garage) door openers: premium, stylish and state-of-art technology. Powering from 500N, 600N, 800N up to 1000N. Silent operation, "green" energy use and an unbeaten performance reliability. Optionally connected to the internet via MyQ.
- Force smart industrial door automation. Force translates state-of-art technology into simple, intuitive use by people. The forceIQ control system is universal for force70, force100 and force140 industrial door openers and connects to a wide range of connected accessories.

These two lines are conveniently completed with access control, safety and security accessories that allow you to offer your customers the full package. The price list is divided in clear chapters, where you will find article code, a picture of the product, summary description, list price, weight and full package quantities. All you need to know for ordering from your nearest FlexiForce distribution centre. Find updates, details, drawings, movies and more per product on www.flexiforce.com (select catalogue) or on webshop.flexiforce.com.

Term and conditions

All our quotations, all orders placed and all contracts are subject to the "Metaalunie Conditions" which can be found on our website. Our prices are:

- valid for orders from 04-02-2019
- based on payment within 30 days net.
- ex-warehouse FlexiForce: Netherlands, Hungary, Spain, Italy, Poland, Turkey
- including packaging
- gross (list), excluding V.A.T.
- in euro
- free of obligation, non-binding and subject to change with our prior notice.

Orders with a value of less than 250 euro and rush orders could be charged with additional handling fees. FlexiForce can offer you third party freight rates and services on request. Find our terms, conditions and disclaimers on www.flexiforce.com.



Index

Automation	2	OSE-IR	7
100041	2	OSE-KIT-BS	7
1034-OSE	2	OSE-LAD1	7
1034-WPDS	2	OSE-LAD2	7
128EVO	2	OSE-MAS-1	8
16200LM	2	OSE-MAS-E	8
1702EVO	2	OSE-MPDS	8
300PB	2	OSE-PDSK-IND	8
747EVO	2	OSE-PDSK-RES	8
75EVO	2	OSE-SCB1	8
770E	2	OSE-SIGNAL-LP	8
773E	2	OSE-WL-KIT	8
78EVO	3	REGLOBEAM	8
810-840CR5	3	SDL-NB-HKE	8
828EVO	3	SDL-NB-HKENG	8
829EVO	3	SE140-TS971	9
860EVO	3	SE90-TS970	9
924WLKIT	3	SE90-TS971	9
9700V	3	SE90E-TS970	9
9700W	3	SE90E-TS971	9
DWACC	3	TOF-BRACKET	9
DWGK11	3	TOF-MARKER-R	9
F70AC3-TX	3	TOF-SPOT	9
FLA1-LED	4	TX4UNIF	9
force668LM	4		
force70	4		
forceCBL	4		
forceLC2	4		
forceOSE	4		
forcePSE	4		
forceRX4	4		
forceTL	4		
forceTX4	4		
GFA-CB	5		
GFA-OSE	5		
GFA-PART4555	5		
GFA-PART4615	5		
GFA-PART4616	5		
GFA-PART4679	5		
GFA-PART4789	5		
GFA-PART5132	5		
GFA-PSE	5		
GFA-RX4	5		
GFA-TX4	5		
Herkules2E	6		
Industrial, force	6		
LED	6		
LED-BAR-R	6		
LM100EVO	6		
LM3800	6		
LM50EVO	6		
LM60EVO	6		
LM70EVFF	7		
LM80EVO	7		
NICE	7		
OSE-111	7		
OSE-A-0002	7		

Automation

	article	description	price	units	full	kg/unit
	100041	Key switch surface mount	€ 56.18	piece (1)	1	0,36kg
	1034-OSE	Kit pass door switch, receiver, transmitter	€ 160.33	set (1)	1	0,5kg
	1034-WPDS	Pass door switch Wireless pass door switch, receiver included	€ 131.42	set (1)	1	0,5kg
	128EVO	Push button wireless, 2 channel	€ 42.30	piece (1)	1	0,1kg
	16200LM	Switch protection for pass door or slide bolt	€ 16.91	piece (1)	1	0,28kg
	1702EVO	Outside release kit with keys	€ 18.36	piece (1)	1	0,21kg
	300PB	Operator bracket Universal	€ 2.40	piece (1)	30	0,638kg
	747EVO	Keypad wireless, weatherproof	€ 49.44	piece (1)	1	0,23kg
	75EVO	Push button wired, illuminated	€ 13.49	piece (1)	1	0,1kg
	770E	Protection system photocell, IR	€ 43.36	piece (1)	1	1,19kg
	773E	Photocells IR, universal	€ 54.64	piece (1)	1	1,19kg

Automation

	article	description	price	units	full	kg/unit
	78EVO	Wall control wired, illuminated, 4 functions	€ 23.28	piece (1)	1	0,1kg
	810CR5	Extension kit for draw-bars 8023CR5, 8323CR5	€ 77.00	piece (1)	1	5,44kg
	840CR5	for draw-bars 8030CR5	€ 88.90	set (1)	1	5,5kg
	828EVO	Internet gateway MyQ, for LM60/80/100EVO	€ 83.60	piece (1)	1	0,2kg
	829EVO	Garage door monitor for LM60/80/100EVO	€ 49.44	piece (1)	1	0,2kg
	860EVO	Receiver 3-channel, Evolution	€ 71.00	piece (1)	1	0,150kg
	924WLKIT	Pull switch wireless, batteryless	€ 223.38	set (1)	1	0,3kg
	9700CARD	Magnetic card set of 5, for 9700V24/12	€ 26.78	set (5)	1	0,05kg
	9700TAG	set of 5, for 9700V24	€ 28.33	set (5)	1	0,03kg
	9700V24	wired, 24V, integrated card reader	€ 82.39	piece (1)	1	0,14kg
	9700W	Keypad Wireless! 24V	€ 118.45	piece (1)	1	0,3kg
	DWACC	Kit accessories pneumatic safety edge	€ 7.41	set (1)	1	0,04kg
	DWGK11	Airwave switch mounted in housing	€ 36.12	piece (1)	10	0,10kg
	F70AC3-TX	Hand transmitter 3 channel, incl. battery	€ 21.36	piece (1)	25	0,04kg









Automation

	article	description	price	units	full	kg/unit
	FLA1-LED	Flashing light 24V, LED, LiftMaster	€ 26.44	piece (1)	1	0,23kg
	force668LM	Slide bolt EXPIRING ON 01-04-2019, electric, incl. power supply	€ 92.95	piece (1)	1	1,25kg
	force70AC3	Operator 70Nm, 21rpm, quick release, 1x230V	€ 490.00	piece (1)	1	17kg
	force70AC3-XC	70Nm, 21rpm, chain release, 1x230V	€ 591.01	piece (1)	1	21kg
	force70BS	70Nm, 21rpm, quick release, 1x230V	€ 389.00	piece (1)	1	17kg
	forceCB11	Cable set EXPIRING ON 01-04-2019, 11m, force100XQ/C	€ 65.02	piece (1)	1	1,8kg
	forceCB7	EXPIRING ON 01-04-2019, 7m, force100XQ/C	€ 58.08	piece (1)	1	1,1kg
	forceCB9	EXPIRING ON 01-04-2019, 9m, force100XQ/C	€ 58.99	piece (1)	1	1,2kg
	forceLC2	Light curtain class 2, Active height 2.520mm	€ 365.00	piece (1)	1	1,9kg
	forceOSE	Optosensor kit complete set for bottom profile	€ 91.80	set (1)	1	0,45kg
	forcePSE	Airwave switch kit bottom safety edge	€ 86.28	set (1)	1	0,45kg
	forceRX4	Receiver EXPIRING ON 01-04-2019, 4 channel, forceIQ	€ 116.24	piece (1)	1	0,05kg
	forceTL	Traffic light module EXPIRING ON 01-04-2019, complete kit	€ 39.99	set (1)	1	0,45kg
	forceTLG	green, single, LED	€ 121.18	piece (1)	1	1,5kg
	forceTLR	red, single, LED	€ 121.01	piece (1)	1	1,5kg
	forceTLRG	green/red, double, LED	€ 213.03	piece (1)	1	2,7kg
	forceTX4	Hand transmitter EXPIRING ON 01-04-2019, 4 channel, incl. battery	€ 19.18	piece (1)	10	0,04kg

Automation

	article	description	price	units	full	kg/unit
	GFA-CB11	GfA connection cable GfA DES Connection cable, length 11m	€ 61.30	piece (1)	1	2,6kg
	GFA-CB7	GfA DES Connection cable, length 7m	€ 47.15	piece (1)	1	1,6kg
	GFA-CB9	GfA DES Connection cable, length 9m	€ 54.23	piece (1)	1	2,1kg
	GFA-OSE	GfA Optosensor kit complete set for bottom profile	€ 112.31	piece (1)	1	0,56kg
	GFA-PART4555	GfA Hand chain Extension set chain release	€ 15.41	piece (1)	1	1,2kg
	GFA-PART4615	GfA Emergency stop Fits to TS970 and TS971 control units of GfA.	€ 32.20	piece (1)	1	0,1kg
	GFA-PART4616	GfA Key switch Key switch TS970/971	€ 52.90	piece (1)	1	0,1kg
	GFA-PART4679	GfA Toggle switch Fits to TS970 and TS971 control units of GfA.	€ 36.57	piece (1)	1	0,1kg
	GFA-PART4789	GfA Emergency release Extension set quick release	€ 8.05	piece (1)	1	0,1kg
	GFA-PART5132	GfA Main switch Complete front for TS970 and TS971 control unit of GfA.	€ 75.90	piece (1)	1	0,3kg
	GFA-PSE	GfA Airwave switch kit complete set for bottom profile	€ 70.73	piece (1)	1	0,46kg
	GFA-RX4	GfA receiver Model EKX1M 434MHz	€ 108.68	piece (1)	1	0,1kg
	GFA-TX4	GfA Hand transmitter Model SKX4GS 434MHz, 4-channel	€ 64.40	piece (1)	1	0,1kg

Automation

	article	description	price	units	full	kg/unit
	Herkules2E	Motion detector microwave radar	€ 198.00	piece (1)	1	0,72kg
	forcefrequenz-28	Operator kit, door up to 28m2 100Nm, 50Hz, variable speed; max 681mm/sec, chain release, 1x230V	€ 1,198.00	piece (1)	1	17kg
	forcefrequenz-	140Nm, 50Hz, variable speed; max 524mm/sec, chain release, 1x230V	€ 1,298.00	piece (1)	1	17kg
	LED3000-WAL	LED bar alunox, 4 LEDs, warm light	€ 260.00	piece (1)	10	1,6kg
	LED5000-WAL	alunox, 8 LEDs, warm light	€ 477.00	piece (1)	6	3,8kg
	LED-BAR-R	LED warning light red flashing, bottom section	€ 114.03	set (1)	1	0,20kg
	LM100EVO23	Garage door opener 1000N, 24DC, incl. 2 remote controls, push button	€ 431.52	piece (1)	1	23kg
	LM100EVO23K	1000N, 24DC, incl. 2 remote controls, push button	€ 438.43	piece (1)	1	23kg
	LM100EVO25	1000N, 24DC, incl. 2 remote controls, push button	€ 435.84	piece (1)	1	23kg
	LM100EVO30	1000N, 24DC, incl. 2 remote controls, push button	€ 440.16	piece (1)	1	23kg
	LM130EVO23	1300N, incl. 2 remote controls, push button	€ 569.44	piece (1)	1	19kg
	LM130EVO23K	1300N, incl. 2 remote controls, push button	€ 576.35	piece (1)	1	20kg
	LM130EVO25	1300N, incl. 2 remote controls, push button	€ 573.76	piece (1)	1	19kg
	LM130EVO30	1300N, incl. 2 remote controls, push button	€ 578.08	piece (1)	1	20kg
	LM3800	Operator shaft type, 1", doors h<4,5m, NL	€ 398.00	piece (1)	1	12,5kg
	LM50EVFF	Garage door opener 500N, belt drive, variable speed; max 100mm/sec, incl. 2 remote controls	€ 179.00	piece (1)	1	10kg
	LM50EVO	500N, incl. 2 remote controls, DC	€ 173.50	piece (1)	1	10kg
	LM55EVO23	600N, 24DC, incl. 2 remote controls,	€ 221.52	piece (1)	1	17kg
	LM55EVO23K	600N, 24DC, incl. 2 remote controls,	€ 228.43	piece (1)	1	18kg
	LM60EVO23	Garage door opener 650N, 24DC, incl. 2 remote controls	€ 283.52	piece (1)	1	20kg

Automation

	article	description	price	units	full	kg/unit
	LM60EVO23K	650N, 24DC, incl. 2 remote controls	€ 290.43	piece (1)	1	20kg
	LM60EVO25	650N, 24DC, incl. 2 remote controls	€ 287.84	piece (1)	1	20,5kg
	LM60EVO30	650N, 24DC, incl. 2 remote controls	€ 292.16	piece (1)	1	21kg
	LM70EVFF	<p>Garage door opener</p> <p>700N, belt drive, variable speed; max 160mm/sec, incl. 2 remote controls, MyQ enabled</p>	€ 270.00	piece (1)	1	No
	LM70EVFFC	<p>700N, belt drive, variable speed; max 160mm/sec, incl. 2 remote controls, MyQ enabled</p>	€ 370.00	piece (1)	1	No
	LM80EVO23	Garage door opener 800N, 24DC, incl. 2 remote controls, push button	€ 367.52	piece (1)	1	20kg
	LM80EVO23K	800N, 24DC, incl. 2 remote controls, push button	€ 374.43	piece (1)	1	20kg
	LM80EVO25	800N, 24DC, incl. 2 remote controls, push button	€ 371.84	piece (1)	1	21kg
	LM80EVO30	800N, 24DC, incl. 2 remote controls, push button	€ 376.16	piece (1)	1	21,5kg
	NICE100XC	Operator NICE, Kit, 100Nm, 24 rpm, 3x230V/400V, 50Hz	€ 660.74	piece (1)	1	17,4kg
	NICE140XC	NICE, kit, 140Nm, 20rpm, 3x230V/400V, 50Hz	€ 821.10	piece (1)	1	25,3kg
	NICE70XC	NICE, kit, 70Nm, 20rpm, 1x230V, 50Hz	€ 660.74	piece (1)	1	18,6kg
	OSE-1113704	Spiral cable 5-pol, factor 4, 750mm	€ 16.22	piece (1)	1	0,23kg
	OSE-1113926	5 pole, spiral 1000mm.factor 4	€ 21.31	piece (1)	1	0,25kg
	OSE-A-0002	Adaptor sleeve from 22 to 12mm	€ 2.61	piece (1)	1	0,012kg
	OSE-IR	Photocell set, universal, incl. 15m wire	€ 66.96	set (1)	1	0,9kg
	OSE-KIT-BS	Kit parts for safety edge	€ 44.98	set (1)	1	0,43kg
	OSE-LAD1	Junction box small, for wiring of safety edge	€ 9.24	piece (1)	1	0,032kg
	OSE-LAD2	Junction box for 4 or 5 core coil cord	€ 17.94	piece (1)	1	0,082kg

Automation

	article	description	price	units	full	kg/unit
	OSE-MAS-1	Bumper for safety edge protection	€ 2.38	piece (1)	1	0,039kg
	OSE-MAS-E	Bumper plug-in module for OSE-MAS-1	€ 0.24	piece (1)	1	0,004kg
	OSE-MPDS	Switch pass door protection, magnetic	€ 11.51	piece (1)	1	0,073kg
	OSE-PDSK-IND	Kit pass door switch IND, complete, magnetic	€ 59.00	set (1)	1	0,5kg
	OSE-PDSK-RES	Kit pass door switch RES,	€ 62.20	set (1)	1	0,5kg
	OSE-SCB1	Bracket guide for spiral cord	€ 4.18	piece (1)	1	0,12kg
	OSE-SIGNAL-LP	Optosensor set for bottom profile	€ 36.90	set (1)	1	0,06kg
	OSE-WL-KIT	Wireless system for safety edge RX and TX	€ 150.55	set (1)	1	0,55kg
	REGLOBEAM	Remote control programmer for Herkules 2	€ 51.00	piece (1)	1	No
	SDL-NB-HKE	Hand chain A4x16	€ 2.22	Meters (1)	10	0,5kg
	SDL-NB-HKENG	Chain link for SDL-NB-HKE chain	€ 1.50	piece (1)	1	0,20kg

Automation

	article	description	price	units	full	kg/unit
	SE140-TS971	GfA operator 140Nm, 21rpm, chain release, 3x230/400V	€ 0.00	piece (1)	1	17kg
	SE90-TS970	GfA operator 90Nm, 24rpm, chain release, 3x230/400V	€ 0.00	piece (1)	1	17kg
	SE90-TS971	GfA operator 90Nm, 24rpm, chain release, 3x230/400V	€ 0.00	piece (1)	1	17kg
	SE90E-TS970	GfA operator 90Nm, 24rpm, quick release, 3x230/400V	€ 0.00	piece (1)	1	17kg
	SE90E-TS971	GfA operator 90Nm, 24rpm, quick release, 3x230/400V	€ 0.00	piece (1)	1	17kg
	TOF-BRACKET	Mounting bracket for TOF-SPOT with easy positioning	€ 41.64	piece (1)	1	No
	TOF-MARKER-R	Floor marker for detection spot of TOF-SPOT	€ 8.75	piece (1)	1	No
	TOF-SPOT	Detection sensor with exact detection range setting 0,2 m - 6 m	€ 103.50	piece (1)	1	No
	TX4UNIF	Hand transmitter 4 channel, Evolution	€ 54.00	piece (1)	1	0,02kg



WHERE TO FIND US

FlexiForce B.V.

Hanzeweg 19
3771 NG Barneveld
PO Box 37
3770 AA Barneveld
The Netherlands
+31-(0)342-427777
info.nl@flexiforce.com

FlexiForce Hungary Kft.

Medvefű str. 24
4031 Debrecen
Hungary
+36-52561260
infohu@flexiforce.com

FlexiForce Ibérica, S.L.

Apartado Correos 403
Ctra. Nacional 332, Km. 211
46780 – Oliva (Valencia)
Spain
+34 96.285.82.50
julian.lopez@flexiforce.com

FlexiForce Poland Sp. z o.o.

Norblina 17/19
95-015 Głowno
Poland
+48 426500491
info.pl@flexiforce.com

FlexiForce Italy

Via Caduti di Nassiriya
25020 Offlaga (BS)
Italy
+39 0309936510
julio.gonzalez@flexiforce.com

FlexiForce Turkey

Marmara Geri Donusumculer
Toplu İşyeri Yapı Kooperatifi
Sekerpinar Mahallesi Aycicek
Sokak Kapi No: 24
(245 ada, 31 parsel) 41420,
Çayirova, KOCAELI / TURKEY
+90 262 658 2058
mert.kaptan@flexiforce.com

A total overview of all our automation selection products, including technical details and actual prices can be found in our new online catalogue: www.flexiforce.com



www.flexiforce.com





FLEXIFORCE AUTOMATION SELECTION

With more than 10 years of experience in automation for overhead doors, FlexiForce now introduces a completely renewed range of solutions for residential and industrial doors. We have listened carefully to the needs of our customers in Europe and we have become experts in all aspects of door automation.

This results in our AUTOMATION SELECTION, with which we can offer the best products from the best suppliers.

Suitable for specific applications, for different budgets and for different levels of convenience and safety.

www.flexiforce.com

